

## Amendment and Response

Page 2 of 11

Serial No.: 09/776,470

Confirmation No.: 7145

Filed: February 2, 2001

For: DETECTION SYSTEM AND METHOD USING THERMAL IMAGE ANALYSIS

---

Amendments to the Claims

This listing of claims replaces all prior versions, and listings, of claims in the above-identified application:

1. (currently amended) A method to detect a physiological state of a person, the method comprising:  
providing thermal image data of at least a region of a face of a person, wherein providing the thermal image data comprises providing thermal image data of at least a periorbital region of an eye of the person; and  
using the thermal image data to determine a physiological state of a the person.
2. (currently amended) The method of claim 1, wherein using the thermal image data ~~includes~~ comprises using the thermal image data to determine anxiety in the person.
3. (cancel) ~~The method of claim 2, wherein providing the thermal image data includes providing thermal image data of at least a region proximate an eye of the person.~~
4. (currently amended) The method of claim ~~3~~ 2, wherein using the thermal image data ~~includes comparing~~ comprises detecting a change, over a plurality of frames, in the thermal image data to a baseline reference when the person is experiencing anxiety.
5. (currently amended) The method of claim ~~3~~ 1, wherein providing the thermal image data ~~includes~~ comprises providing thermal image data of at least a the periorbital region ~~proximate the eye of the person~~ and of another region of the face, and further wherein using the thermal image data to determine the physiological state of the person ~~includes~~ comprises comparing the thermal image data of the periorbital region to thermal data of the other region of the face.

## Amendment and Response

Page 3 of 11

Serial No.: 09/776,470

Confirmation No.: 7145

Filed: February 2, 2001

For: DETECTION SYSTEM AND METHOD USING THERMAL IMAGE ANALYSIS

---

6. (currently amended) The method of claim 5, wherein the other region of the face is comprises a cheek region of the face.
7. (currently amended) The method of claim 1, wherein using the thermal image data ~~includes~~ comprises comparing the thermal image data to a baseline reference.
8. (currently amended) The method of claim 1, wherein providing the thermal image data ~~includes~~ comprises providing mid-infrared thermal image data of ~~the~~ at least one region of the face and far-infrared, ~~and further wherein using the thermal image data to determine the physiological state of the person includes comparing the thermal image data of the least one region of the face to thermal image data of a different region of the face.~~
9. (original) The method of claim 1, wherein providing thermal image data of at least a region of a face of a person comprises:  
providing thermal image data of a scene; and  
selecting thermal image data of the face of the person from the thermal image of the scene.
10. (original) The method of claim 1, wherein providing thermal image data of at least a region of a face of a person comprises:  
providing thermal image data of a face of the person; and  
identifying thermal image data for one or more regions of the face based on at least bilateral symmetry of the thermal image data of the face.
11. (currently amended) A detection system to detect a physiological state of a person, the system comprising:

## Amendment and Response

Page 4 of 11

Serial No.: 09/776,470

Confirmation No.: 7145

Filed: February 2, 2001

For: DETECTION SYSTEM AND METHOD USING THERMAL IMAGE ANALYSIS

---

a thermal infrared image device operable to provide thermal image data of at least a region of a face of a person, wherein the region of the face comprises at least a periorbital region of an eye of the person; and

circuitry operable upon the thermal image data to determine a physiological state of ~~a~~ the person.

12. (original) The system of claim 11, wherein the circuitry is operable upon the thermal image data to determine the presence of anxiety in the person.

13. (cancelled) ~~The system of claim 12, wherein the thermal infrared image device is operable to provide thermal image data of at least a region proximate an eye of the person.~~

14. (currently amended) The system of claim ~~13~~ 12, wherein the circuitry is operable to compare detect a change over a plurality of frames, in the thermal image data ~~to a baseline reference~~ when the person is experiencing anxiety.

15. (currently amended) The system of claim ~~13~~ 11, wherein the thermal infrared image device is operable to provide thermal image data of at least a the periorbital region ~~proximate the eye of the person~~ and of another region of the face, and further wherein the circuitry is operable to compare the thermal image data of the periorbital region to the thermal image data of the other region of the face.

16. (currently amended) The system of claim 15, wherein the other region of the face is comprises a cheek region of the face.

17. (original) The system of claim 11, wherein the circuitry is operable to compare the thermal image data to a baseline reference.

**Amendment and Response**

Page 5 of 11

Serial No.: 09/776,470

Confirmation No.: 7145

Filed: February 2, 2001

For: DETECTION SYSTEM AND METHOD USING THERMAL IMAGE ANALYSIS

---

18. (currently amended) The system of claim 11, wherein the thermal infrared image device is operable to provide mid-infrared thermal image data of the at least one region of the face and far-infrared, ~~and further wherein the circuitry is operable to compare the thermal image data of the least one region of the face to thermal image data of a different region of the face.~~

19. (original) The system of claim 11, wherein the thermal infrared image device is operable to provide thermal image data of a scene and to select thermal image data of the face of the person from the thermal image of the scene.

20. (original) The system of claim 11, wherein the thermal infrared image device is operable to provide thermal image data of a face of the person and to identify thermal image data for one or more regions of the face based on at least bilateral symmetry of the thermal image data of the face.